

## Planting Service Customer Agreement Form

Rockledge Gardens planting service includes the following:  Digging hole to required diameter and depth appropriate for site and plant Planting with Rockledge Gardens' planting mix soil Application of Bio-Tone® Starter Plus (Organic and safe for edibles) Initial watering in of the plant using customer furnished water source and hose Staking of trees included when determined necessary by installer Haul away of removed sod & discarded pots
<ul> <li>Digging hole to required diameter and depth appropriate for site and plant</li> <li>Planting with Rockledge Gardens' planting mix soil</li> <li>Application of Bio-Tone® Starter Plus (Organic and safe for edibles)</li> <li>Initial watering in of the plant using customer furnished water source and hose</li> <li>Staking of trees included when determined necessary by installer</li> <li>Haul away of removed sod &amp; discarded pots</li> </ul>
<ul> <li>Planting with Rockledge Gardens' planting mix soil</li> <li>Application of Bio-Tone® Starter Plus (Organic and safe for edibles)</li> <li>Initial watering in of the plant using customer furnished water source and hose</li> <li>Staking of trees included when determined necessary by installer</li> <li>Haul away of removed sod &amp; discarded pots</li> </ul>
I acknowledge that the area for planting is clear and accessible. Rockledge Gardens employees are not responsible for moving any items needed to gain access.
I have disclosed any extraordinary circumstances regarding my planting site which can include, but are not limited to the following:
<ul> <li>Rock bed with weed cloth</li> <li>Flights of stairs</li> <li>Distances greater than 100ft from driveway to planting site</li> </ul>
I acknowledge that Rockledge Gardens is not responsible for any underground utilities damaged in the installation process. (Please disclose location of septic system prior to installation).
I acknowledge that Rockledge Gardens is not responsible for removing any stumps or plant material from the planting site. If it is desired to install new plant on top of a previously removed tree, I will ensure the stump is either completely removed or "deep ground" to a minimum depth of six inches greater than the depth of the new plant's container.
I acknowledge that the installation service includes removing enough sod for the new plant only. Sod removal for new beds must be done prior to delivery date. I also understand that it is highly recommended to have entire strip of sod removed for installation of new hedges.
Rockledge Gardens Use Only
Staff Person Name:
Notes: